

# SOUTH CAROLINA PORTS AUTHORITY



Continuous Air Monitoring Station for the  
Hugh K. Leatherman Terminal

Q2 2024 Quarterly Report

July 2024

---

**SOUTH CAROLINA PORTS  
AUTHORITY –  
CONTINUOUS AIR  
MONITORING STATION  
FOR THE HUGH K  
LEATHERMAN TERMINAL**

**Q2 2024 Quarterly Report**

Prepared for:

South Carolina Ports Authority  
200 Ports Authority Dr.  
Mt. Pleasant  
South Carolina 29464

Prepared by:

Arcadis  
7025 Albert Pick Road  
Suite 102  
Greensboro  
North Carolina 27409  
Tel 336 292 2271

Our Ref.:

30063015

Date:

July 2024

*This document is intended only for the use of the individual or entity for which it was prepared and may contain information that is privileged, confidential and exempt from disclosure under applicable law. Any dissemination, distribution or copying of this document is strictly prohibited.*

## CONTENTS

1	Executive Summary .....	1
2	Project Description .....	2
2.1	Quarterly Results .....	2
3	Quality Assurance/Quality Control .....	8
3.1	Daily and Quarterly QC/Validation .....	8

## TABLES

Table 2-1.	24-Hour Averages and Daily Maximums .....	2
Table 2-2.	Quarterly Statistics .....	5
Table 2-3.	National Ambient Air Quality Standards .....	6
Table 2-4.	Monthly Statistics .....	7

## FIGURES

Figure 2-1.	24-hour Averages .....	6
Figure 2-2.	Max 1-hour Averages .....	7

## 1 EXECUTIVE SUMMARY

Arcadis was contracted in December 2020 to provide continuous air monitoring services to the South Carolina Ports Authority (SCPA) at the Hugh K. Leatherman Terminal (HLT) in North Charleston, SC. Arcadis has followed through on the planned schedule and activities since that award. Major accomplishments include: complete the Quality Assurance Project Plan (QAPP), relocate the instruments from the Wando Welch Terminal air monitoring station, complete the site setup, and then to begin acquiring data. Installation was completed in mid-February 2021 and data acquisition began on February 25. This report is the 14th quarterly data report (second quarterly report in year four of operations) and presents the data summaries requested by SCPA and described in the work scope. This report encompasses a period corresponding to data collected from April 1, 2024 through June 30, 2024.

## 2 PROJECT DESCRIPTION

SCPA requested a system to provide ambient air quality data including particulate matter less than 2.5 microns (PM<sub>2.5</sub>), SO<sub>2</sub>, and NO<sub>2</sub> at SCPA's HLT in North Charleston. Arcadis will maintain the monitoring instruments, stock consumables such as filters and calibration gases, and order spare parts such that downtime will be minimized. Arcadis has established standard operating procedures to perform daily downloads and to provide Level 1 data validation for the resulting data. This monitoring project setup was relatively straightforward, has proven to be reliable, and is generating valid high-quality data suitable for use in dispersion modeling or other potential purposes.

The Quality Assurance Project Plan (QAPP) may be updated periodically to reflect improvements to the basic operating procedures or to document changes in the air quality standards. This QAPP is written consistent with the current ambient air quality standards for PM, NO<sub>x</sub> and SO<sub>2</sub> as defined by the U.S. Environmental Protection Agency.

### 2.1 Quarterly Results

The 24-hr daily averages for PM<sub>2.5</sub>, NO, NO<sub>2</sub>, NO<sub>x</sub>, and SO<sub>2</sub> and the maximum daily values for NO<sub>2</sub> (1-hr average) and SO<sub>2</sub> (1-hr and 3-hr average) for this period are shown in Table 2-1. Quarterly statistics showing averages, minimums and maximums for all parameters are summarized in Table 2-2, with the corresponding National Ambient Air Quality Standards (NAAQS) limits shown in Table 2-3. 24-hr averages for all constituents are also shown graphically in Figure 2-1. Maximum 1-hr averages for NO<sub>2</sub> and SO<sub>2</sub> are shown in Figure 2-2. Statistics are broken down by months and summarized in Table 2-4.

Table 2-1. 24-Hour Averages and Daily Maximums

Date	24-hour Averages					Daily Max 1-hr Avg.		Daily Max 3-hr Avg.
	PM <sub>2.5</sub> (µg/m <sup>3</sup> )	NO (ppb)	NO <sub>2</sub> (ppb)	NO <sub>x</sub> (ppb)	SO <sub>2</sub> (ppb)	NO <sub>2</sub> (ppb)	SO <sub>2</sub> (ppb)	SO <sub>2</sub> (ppb)
4/1/24	7.18	0.20	1.57	1.77	0.01	3.32	0.03	0.02
4/2/24	9.03	0.57	2.73	3.31	0.03	5.76	0.15	0.12
4/3/24	12.61	0.21	1.93	2.14	0.00	3.13	0.01	0.00
4/4/24	8.45	0.25	3.36	3.61	0.01	11.30	0.04	0.02
4/5/24	7.44	3.45	7.86	11.31	0.02	26.60	0.20	0.09
4/6/24	5.74	0.30	2.59	2.89	0.06	8.43	0.36	0.16
4/7/24	6.85	0.34	3.41	3.75	0.04	13.89	0.22	0.11
4/8/24	4.16	1.43	7.50	8.93	0.02	17.35	0.08	0.05
4/9/24	4.30	0.71	4.62	5.33	0.01	18.27	0.02	0.02
4/10/24	5.76	0.82	4.67	5.49	0.00	16.81	0.01	0.01
4/11/24	8.47	0.28	2.39	2.67	0.00	11.24	0.01	0.00
4/12/24	8.88	0.34	1.83	2.18	0.01	3.55	0.03	0.01
4/13/24	4.28	0.23	2.59	2.82	0.02	6.83	0.25	0.09

24-hour Averages						Daily Max 1-hr Avg.		Daily Max 3-hr Avg.
Date	PM <sub>2.5</sub> (µg/m <sup>3</sup> )	NO (ppb)	NO <sub>2</sub> (ppb)	NO <sub>x</sub> (ppb)	SO <sub>2</sub> (ppb)	NO <sub>2</sub> (ppb)	SO <sub>2</sub> (ppb)	SO <sub>2</sub> (ppb)
4/14/24	7.88	1.20	4.63	5.83	0.16	15.97	1.59	1.09
4/15/24	8.13	0.37	3.05	3.42	0.04	8.76	0.15	0.13
4/16/24	13.39	0.45	3.62	4.07	0.06	11.01	0.19	0.17
4/17/24	5.21	0.33	2.07	2.40	0.01	5.30	0.02	0.01
4/18/24	5.13	0.73	3.74	4.47	0.03	9.70	0.15	0.09
4/19/24	12.08	0.55	3.40	3.96	0.02	10.40	0.07	0.05
4/20/24	10.80	0.23	1.74	1.97	0.01	2.82	0.04	0.03
4/21/24	13.84	0.43	2.08	2.51	0.00	4.30	0.02	0.01
4/22/24	5.68	0.39	2.32	2.72	0.02	6.30	0.06	0.04
4/23/24	7.12	1.21	5.10	6.31	0.05	17.36	0.17	0.14
4/24/24	8.34	0.33	3.03	3.37	0.03	10.38	0.13	0.09
4/25/24	12.53	1.17	5.73	6.90	0.05	12.80	0.45	0.22
4/26/24	14.74	0.31	2.04	2.35	0.01	5.93	0.01	0.01
4/27/24	7.73	0.35	1.85	2.20	0.01	7.71	0.04	0.02
4/28/24	7.62	0.24	2.32	2.57	0.01	8.34	0.03	0.02
4/29/24	6.06	1.01	3.91	4.91	0.01	18.65	0.04	0.02
4/30/24	7.34	0.44	1.91	2.35	0.01	11.32	0.02	0.01
5/1/24	6.34	0.76	3.14	3.90	0.01	7.29	0.04	0.02
5/2/24	7.04	3.13	6.59	9.72	0.05	11.50	0.62	0.24
5/3/24	6.29	1.72	5.90	7.62	0.02	12.73	0.06	0.05
5/4/24	5.58	0.61	3.58	4.19	0.02	12.44	0.06	0.03
5/5/24	1.04	0.26	1.46	1.72	0.01	6.94	0.03	0.02
5/6/24	3.29	0.36	1.35	1.72	0.02	4.85	0.05	0.03
5/7/24	5.35	0.40	1.77	2.17	0.05	4.25	0.13	0.10
5/8/24	13.36	0.52	2.06	2.58	0.04	5.74	0.10	0.08
5/9/24	8.61	0.36	2.65	3.01	0.02	7.74	0.05	0.03
5/10/24	8.33	0.44	3.11	3.55	0.01	13.40	0.03	0.02
5/11/24	4.13	0.37	2.60	2.97	0.03	8.44	0.10	0.07
5/12/24	7.29	0.27	2.04	2.31	0.12	3.49	0.65	0.40
5/13/24	4.60	0.88	4.36	5.24	0.07	13.18	0.17	0.12
5/14/24	6.07	0.45	2.19	2.64	0.03	7.40	0.06	0.05
5/15/24	8.21	0.27	2.31	2.57	0.04	6.79	0.07	0.05
5/16/24	8.64	0.90	5.06	5.96	0.23	11.63	1.63	0.76
5/17/24	12.78	0.55	3.95	4.50	0.02	15.91	0.05	0.03
5/18/24	11.71	0.37	1.82	2.19	0.04	3.72	0.07	0.05
5/19/24	4.97	0.33	1.55	1.87	0.05	5.04	0.08	0.07

24-hour Averages						Daily Max 1-hr Avg.		Daily Max 3-hr Avg.
Date	PM <sub>2.5</sub> (µg/m <sup>3</sup> )	NO (ppb)	NO <sub>2</sub> (ppb)	NO <sub>x</sub> (ppb)	SO <sub>2</sub> (ppb)	NO <sub>2</sub> (ppb)	SO <sub>2</sub> (ppb)	SO <sub>2</sub> (ppb)
5/20/24	6.69	0.32	1.19	1.51	0.04	2.80	0.07	0.05
5/21/24	4.29	0.48	1.45	1.93	0.06	3.57	0.17	0.12
5/22/24	5.02	1.69	4.63	6.31	0.25	12.19	1.87	0.90
5/23/24	3.49	0.50	3.87	4.34	0.10	11.74	0.27	0.21
5/24/24	5.26	0.09	2.39	2.44	0.11	5.84	0.51	0.31
5/25/24	7.20	0.18	3.36	3.49	0.08	9.67	0.19	0.17
5/26/24	10.46	0.12	2.24	2.30	0.09	6.56	0.17	0.15
5/27/24	11.27	0.10	1.39	1.44	0.05	1.98	0.09	0.08
5/28/24	10.94	0.26	2.62	2.83	0.07	5.39	0.15	0.12
5/29/24	13.57	1.04	8.98	9.99	0.35	19.23	2.32	1.81
5/30/24	7.60	0.34	6.14	6.44	0.18	14.51	0.93	0.42
5/31/24	10.40	0.24	6.24	6.45	0.12	19.78	0.21	0.21
6/1/24	5.67	0.09	2.47	2.50	0.16	5.61	0.35	0.24
6/2/24	3.98	0.05	2.46	2.44	0.11	9.30	0.20	0.14
6/3/24	9.00	0.29	3.52	3.77	0.12	14.95	0.21	0.19
6/4/24	5.39	0.25	2.74	2.95	0.12	11.45	0.24	0.20
6/5/24	2.90	0.25	2.30	2.51	0.12	7.43	0.22	0.20
6/6/24	5.58	0.20	2.35	2.51	0.12	10.37	0.23	0.19
6/7/24	10.19	0.14	2.08	2.18	0.12	4.57	0.21	0.19
6/8/24	11.17	0.15	4.02	4.13	0.22	10.65	0.56	0.50
6/9/24	12.86	0.02	1.95	1.91	0.20	3.50	0.43	0.36
6/10/24	11.93	0.54	4.77	5.28	0.22	14.28	0.79	0.58
6/11/24	4.31	0.15	2.73	2.84	0.17	6.05	0.54	0.35
6/12/24	9.21	0.17	1.92	2.04	0.15	6.91	0.22	0.19
6/13/24	9.70	0.09	1.43	1.48	0.15	3.01	0.22	0.18
6/14/24	8.15	0.28	2.88	3.11	0.18	4.95	0.43	0.33
6/15/24	13.81	0.11	3.19	3.25	0.28	6.49	0.72	0.51
6/16/24	9.64	0.17	3.07	3.20	0.17	17.24	0.34	0.28
6/17/24	6.75	0.10	2.27	2.33	0.15	7.31	0.20	0.17
6/18/24	8.67	0.12	2.20	2.27	0.15	5.71	0.22	0.19
6/19/24	4.72	0.11	1.62	1.69	0.16	4.27	0.26	0.20
6/20/24	3.88	0.18	1.60	1.74	0.17	4.07	0.26	0.23
6/21/24	6.09	0.35	2.11	2.44	0.14	6.97	0.21	0.16
6/22/24	5.26	1.31	3.80	5.09	0.15	11.63	0.23	0.20
6/23/24	4.40	0.30	2.05	2.31	0.16	5.21	0.31	0.26
6/24/24	11.47	0.30	2.12	2.39	0.18	3.40	0.41	0.37

24-hour Averages						Daily Max 1-hr Avg.		Daily Max 3-hr Avg.
Date	PM <sub>2.5</sub> (µg/m <sup>3</sup> )	NO (ppb)	NO <sub>2</sub> (ppb)	NO <sub>x</sub> (ppb)	SO <sub>2</sub> (ppb)	NO <sub>2</sub> (ppb)	SO <sub>2</sub> (ppb)	SO <sub>2</sub> (ppb)
6/25/24	10.60	0.82	3.61	4.40	0.26	12.49	0.66	0.63
6/26/24	8.47	0.48	2.02	2.48	0.15	4.70	0.24	0.22
6/27/24	12.37	0.11	2.45	2.54	0.19	5.10	0.38	0.33
6/28/24	10.91	0.39	4.83	5.21	0.37	10.02	1.05	0.92
6/29/24	8.17	0.87	3.01	3.87	0.26	7.87	0.50	0.45
6/30/24	9.63	0.27	1.38	1.63	0.25	4.23	0.59	0.44

Table 2-2. Quarterly Statistics

24-hour Averages						Daily Max 1-hr Avg.		Daily Max 3-hr Avg.
Date	PM <sub>2.5</sub> (µg/m <sup>3</sup> )	NO (ppb)	NO <sub>2</sub> (ppb)	NO <sub>x</sub> (ppb)	SO <sub>2</sub> (ppb)	NO <sub>2</sub> (ppb)	SO <sub>2</sub> (ppb)	SO <sub>2</sub> (ppb)
Average	7.93	0.50	3.08	3.57	0.09	9.00	0.30	0.21
Minimum	1.04	0.02	1.19	1.44	0.00	1.98	0.01	0.00
Maximum	14.74	3.45	8.98	11.31	0.37	26.60	2.32	1.81



Table 2-3. National Ambient Air Quality Standards

Pollutant	Primary/ Secondary	Averaging Time	Level	Form
NO <sub>2</sub>	Primary	1-hour	100 ppb	98 <sup>th</sup> Percentile, averaged over 3 years
	Primary and Secondary	Annual	53 ppb <sup>(1)</sup>	Annual Mean
SO <sub>2</sub>	Primary	1-hour	75 ppb <sup>(2)</sup>	99 <sup>th</sup> Percentile of 1-hour daily maximum concentrations, averaged over 3 years
	Secondary	3-hour	0.5 ppm	Not to be exceeded more than once per year
PM <sub>2.5</sub>	Primary	Annual	9.0 µg/m <sup>3</sup> <sup>(3)</sup>	Annual mean, averaged over 3 years
	Secondary	Annual	15 µg/m <sup>3</sup>	Annual mean, averaged over 3 years
	Primary and Secondary	24-hour	35 µg/m <sup>3</sup>	98 <sup>th</sup> Percentile, averaged over 3 years

- (1) The level of the annual NO<sub>2</sub> standard is 0.053 ppm. It is shown here in terms of ppb for the purposes of clearer comparison to the 1-hour standard level.
- (2) The previous SO<sub>2</sub> standards (0.14 ppm 24-hour and 0.03 ppm annual) will additionally remain in effect in certain areas: (1) any area for which it is not yet 1 year since the effective date of designation under the current (2010) standards, and (2) any area for which an implementation plan providing for attainment of the current (2010) standard has not been submitted and approved and which is designated nonattainment under the previous SO<sub>2</sub> standards or is not meeting the requirements of a SIP call under the previous SO<sub>2</sub> standards (40 CFR 50.4(3)). A SIP call is an EPA action requiring a state to resubmit all or part of its State Implementation Plan to demonstrate attainment of the required NAAQS.
- (3) Primary annual PM<sub>2.5</sub> standard lowered from 12.0 µg/m<sup>3</sup> to 9.0 µg/m<sup>3</sup> in 2024.




Figure 2-1. 24-hour Averages




Figure 2-2. Max 1-hour Averages

Table 2-4. Monthly Statistics

Month	Monthly Averages					Monthly Daily Max 1-hr Avg.		Daily Max 3-hr Avg.
	PM <sub>2.5</sub> (µg/m <sup>3</sup> )	NO (ppb)	NO <sub>2</sub> (ppb)	NO <sub>x</sub> (ppb)	SO <sub>2</sub> (ppb)	NO <sub>2</sub> (ppb)	SO <sub>2</sub> (ppb)	SO <sub>2</sub> (ppb)
4/24	8.23	0.63	3.32	3.95	0.03	10.45	0.15	0.09
5/24	7.41	0.59	3.29	3.87	0.08	8.90	0.36	0.22
6/24	8.16	0.29	2.63	2.88	0.18	7.66	0.38	0.31

## 3 QUALITY ASSURANCE/QUALITY CONTROL

QA/QC procedures applied to this project are described in a QAPP titled *South Carolina Ports Authority – Continuous Air Monitoring Station for the Hugh K. Leatherman Terminal* (February 2021, Revision 0).

### 3.1 Daily and Quarterly QC/Validation

According to the QAPP prepared for this work, results are reviewed for anomalies and validated daily. These validations are recorded on QA/QC Daily Comment Sheets. The occurrence and duration of normal calibration and maintenance activities are also recorded.

Daily QC checks were performed in accordance with section 5.1 of the QAPP. The PAC Display data logging software is remotely accessed from the Arcadis office in Durham, NC where the instrumentation is monitored for alarms and the data trends are reviewed for irregularities. NO<sub>x</sub> and SO<sub>2</sub> zero and calibration values displayed on the PAC Display screen from the previous calibration event are recorded in the QC Log Book. After checking the PAC Display system for any anomalies, the H05 raw data file from the previous day is downloaded to Arcadis' Durham, NC server. The data file is saved to the project folder on the server and then processed by a Microsoft Excel macro. The resulting Excel file provides values for daily averages and maxima as well as alarm and calibration information. This information is recorded on the daily QC log sheet. Comments and observations regarding data quality are noted on the QC log sheet and are also entered on the SCSPA QA/QC Daily Comment Sheet. The Project Manager is notified of any issues immediately.

Percent completeness for the quarter was calculated by dividing both the number of hours flagged by the macro as "Insufficient Data" as well as hours for which no data was obtained by the total number of hours in the quarter. Each of the three instruments (5014i, 42i, and 43i) typically produces 24 hours of data each day, for a total of 72 hours per day of recorded data. One daily Excel file per week was validated by verifying the formulas and inputs used in the Microsoft Excel macro calculations are correct. The ranges used to calculate the PM<sub>2.5</sub> 24-hour average, NO<sub>2</sub> Daily Max 1-hour average, SO<sub>2</sub> Daily Max 1-hour average, and the 24-hour averages for PM, NO, NO<sub>2</sub>, NO<sub>x</sub>, and SO<sub>2</sub> were checked during each validation. Four random hourly average ranges for PM, NO, NO<sub>2</sub>, NO<sub>x</sub>, and SO<sub>2</sub> were also checked during each validation.

The quarterly data was assessed as follows:

- Percent completeness for Quarter 4 was 99.68%.
- 100% of the validated Quarter 4 data was flagged as "good".



Arcadis

7025 Albert Pick Road

Suite 102

Greensboro, North Carolina 27409

Tel 336 292 2271

[www.arcadis.com](http://www.arcadis.com)