

SOUTH CAROLINA PORTS AUTHORITY



Continuous Air Monitoring Station for the Hugh K. Leatherman Terminal

Q1 2022 Quarterly Report and Annual Summary

May 2022

SOUTH CAROLINA PORTS AUTHORITY – CONTINUOUS AIR MONITORING STATION FOR THE HUGH K LEATHERMAN TERMINAL

Q1 2022 Quarterly Report and Annual Summary

Prepared for:

South Carolina Ports Authority

200 Ports Authority Dr.

Mt. Pleasant

South Carolina 29464

Prepared by:

Arcadis

7029 Albert Pick Road

Suite 101

Greensboro

North Carolina 27409

Tel 336 292 2271

Our Ref.:

30063015

Date:

May 2022

This document is intended only for the use of the individual or entity for which it was prepared and may contain information that is privileged, confidential and exempt from disclosure under applicable law. Any dissemination, distribution or copying of this document is strictly prohibited.

CONTENTS

1	Executive S	Summary	1
2	Project Des	scription	2
	2.1 Quarte	erly Results	2
3	Comparison	n to NAAQS	9
	3.1 NO ₂		9
	3.2 SO ₂		10
	3.3 PM _{2.5}		10
4	Quality Ass	surance/Quality Control	11
	4.1 Daily a	and Quarterly QC/Validation	11
T/	ABLES		
Tal	ole 2-1.	24-Hour Averages and daily maximums	2
Tal	ole 2-2.	Quarterly Statistics	5
Tal	ole 2-3.	National Ambient Air Quality Standards	6
Tal	ole 2-4.	Monthly Statistics for All Four Quarters of the First Monitoring Year	7
Tal	ole 2-5.	NO ₂ NAAQS Calculations for Hugh K. Leatherman Terminal	9
Tal	ole 2-6.	SO ₂ NAAQS Calculations for Hugh K. Leatherman Terminal	10
Tal	ole 2-7.	PM _{2.5} NAAQS Calculations for Hugh K. Leatherman Terminal	10
FI	GURES		
Fig	ure 2-1.	24-hour Averages	6
Fig	ure 2-2.	Max 1-hour Averages	7
Fig	ure 2-3.	Monthly Averages	8
Fig	ure 2-4.	Monthly Max 1-hour Averages	8

1 EXECUTIVE SUMMARY

Arcadis was contracted in December 2020 to provide Continuous Air Monitoring Services to the South Carolina Ports Authority (SCPA) at the Hugh K. Leatherman Terminal (HLT) in North Charleston, SC. Arcadis has followed through on the planned schedule and activities since that award. Major accomplishments include: complete the Quality Assurance Project Plan (QAPP), relocate the instruments from the Wando Welch Terminal air monitoring station, complete the site setup, and then to begin acquiring data. Installation was completed in mid-February 2021 and data acquisition began on February 25. This report is the 5th quarterly data report (first quarterly report in year two of operations) and presents the data summaries requested by SCPA and described in the work scope. This report encompasses a period corresponding to data taken during the period from January 1, 2022 through March 31, 2022 as well as an annual summary (Quarter 2, 2021 through Quarter 1, 2022).

arcadis.com ES-1

2 PROJECT DESCRIPTION

SCPA requested a system to provide ambient air quality data including particulate matter less than 2.5 microns (PM2.5), SO₂, and NO₂ at SCPA's HLT in North Charleston. Arcadis will maintain the monitoring instruments, stock consumables such as filters and calibration gases, and order spare parts such that downtime will be minimized. Arcadis has established standard operating procedures to perform daily downloads and to provide Level 1 data validation for the resulting data. This monitoring project setup was relatively straightforward, has proven to be reliable, and is generating valid high-quality data suitable for use in dispersion modeling or other potential purposes.

The QAPP may be updated periodically to reflect improvements to the basic operating procedures or to document changes in the air quality standards. This QAPP is written consistent with the current ambient air quality standards for PM, NO_x and SO₂ as defined by the U.S. Environmental Protection Agency.

2.1 Quarterly Results

The 24-hr daily averages for PM_{2.5}, NO, NO₂, NO_x, and SO₂ and the maximum daily values for NO₂ (1-hr average) and SO₂ (1-hr and 3-hr average) for this period are shown in Table 2-1. Quarterly statistics showing averages, minimums and maximums for all parameters are summarized in Table 2-2, with the corresponding NAAQS limits shown in Table 2-3. 24-hr averages for all constituents are also shown graphically in Figure 2-1. Maximum 1-hr averages for NO₂ and SO₂ are shown in Figure 2-2.

Statistics for the first monitoring year are broken down by months and summarized in Table 2-4. Annual summaries are graphed in Figures 2-3 and 2-4 showing the monthly averages for all constituents and the daily maximum 1-hr averages for NO₂ and SO₂ averaged across the respective month.

Table 2-1. 24-nour Averages and daily maximum:	Table 2-1.	24-Hour Averages and daily i	maximums
--	------------	------------------------------	----------

		Daily 1-hr		Daily Max 3-hr Avg.				
Date	PM _{2.5} (μg/m³)	NO (ppb)	NO ₂ (ppb)	NO _X (ppb)	SO ₂ (ppb)	NO ₂ (ppb)	SO ₂ (ppb)	SO ₂ (ppb)
1/1/22	10.22	0.20	0.67	0.87	0.06	1.56	0.18	0.14
1/2/22	7.82	0.20	0.68	0.88	0.04	3.53	0.11	0.07
1/3/22	10.03	0.90	1.63	2.53	0.07	4.23	0.21	0.14
1/4/22	4.86	0.94	2.52	3.46	0.10	6.10	0.84	0.52
1/5/22	8.42	5.75	8.18	13.93	0.01	14.17	0.17	0.07
1/6/22	10.51	3.81	8.88	12.69	0.05	21.62	0.69	0.23
1/7/22	5.27	1.82	7.26	9.06	0.03	23.03	0.28	0.03
1/8/22	4.62	0.25	1.86	2.10	0.17	3.51	1.80	0.39
1/9/22	3.56	0.98	2.88	3.86	0.32	12.95	2.12	1.17
1/10/22	5.77	1.96	5.73	7.68	0.01	21.43	0.07	0.01

Date PM _{2.5} (μg/m³) NO (ppb) NO ₂ (ppb) NO _x (ppb) SO ₂ (ppb) NO ₂ (ppb) SO ₂ (ppb) 1/11/22 7.83 5.68 6.22 11.89 0.43 25.05 2.40	SO ₂ (ppb) 1.27 1.28
1/11/22 7.83 5.68 6.22 11.89 0.43 25.05 2.40	
	1.28
1/12/22 6.00 1.83 8.25 10.06 0.41 26.14 1.85	
1/13/22 15.13 16.00 14.99 30.98 0.48 37.36 2.36	1.41
1/14/22 13.33 1.17 11.27 12.42 0.65 23.68 4.61	2.86
1/15/22 15.26 0.52 4.51 5.02 0.02 19.24 0.25	0.13
1/16/22 3.18 0.09 1.42 1.47 0.91 2.44 8.13	5.97
1/17/22 4.38 0.28 2.24 2.48 1.11 3.12 7.96	1.16
1/18/22 8.94 1.87 10.29 12.14 1.52 20.23 7.89	5.00
1/19/22 10.56 12.24 13.07 25.30 0.89 26.57 5.45	2.35
1/20/22 10.50 3.21 8.36 11.57 0.17 19.60 0.95	0.62
1/21/22 4.30 0.14 1.48 1.61 0.00 3.66 0.00	0.00
1/22/22 4.68 0.38 3.10 3.47 0.03 5.17 0.51	0.02
1/23/22 8.21 2.37 7.34 9.71 0.13 22.32 1.06	0.53
1/24/22 7.49 2.50 10.31 12.81 0.79 24.89 4.70	3.19
1/25/22 12.60 2.39 12.54 14.93 0.11 20.67 0.87	0.56
1/26/22 17.43 2.60 8.65 11.24 0.07 21.23 0.69	0.46
1/27/22 6.93 0.38 3.39 3.77 0.09 7.06 0.42	0.32
1/28/22 8.59 0.83 8.34 9.17 0.76 17.37 3.69	2.37
1/29/22 7.71 0.33 4.31 4.64 0.03 16.11 0.11	0.08
1/30/22 4.99 0.27 4.48 4.75 1.30 10.00 5.53	3.32
1/31/22 9.16 1.91 9.35 11.25 0.33 25.54 2.58	1.56
2/1/22 9.92 0.31 3.01 3.32 0.13 6.82 0.96	0.64
2/2/22 8.81 0.46 2.33 2.79 0.02 9.58 0.19	0.12
2/3/22 4.49 2.67 8.47 11.14 0.00 32.21 0.03	0.01
2/4/22 4.47 0.72 2.73 3.44 0.00 6.16 0.00	0.00
2/5/22 4.47 0.57 2.51 3.08 0.00 6.44 0.01	0.00
2/6/22 5.26 0.15 1.29 1.44 0.02 2.63 0.46	0.15
2/7/22 4.43 0.81 5.09 5.91 0.00 8.41 0.00	0.00
2/8/22 9.48 1.78 7.84 9.61 0.00 12.74 0.00	0.00
2/9/22 10.73 1.78 9.80 11.59 0.39 24.84 3.29	1.84
2/10/22 11.08 3.48 10.91 14.39 0.19 28.79 1.90	1.44
2/11/22 15.34 3.77 11.63 15.40 0.07 38.31 0.79	0.42
2/12/22 18.21 2.02 15.37 17.39 0.07 24.51 0.67	0.38
2/13/22 19.28 0.17 4.35 4.52 0.01 16.31 0.16	0.06
2/14/22 7.42 1.43 9.82 11.25 0.01 29.92 0.07	0.03

		Daily 1-hr		Daily Max 3-hr Avg.				
Date	PM _{2.5} (μg/m³)	NO (ppb)	NO ₂ (ppb)	NO _X (ppb)	SO ₂ (ppb)	NO ₂ (ppb)	SO ₂ (ppb)	SO ₂ (ppb)
2/15/22	13.33	3.63	6.53	10.16	0.18	23.67	1.81	0.68
2/16/22	6.65	0.60	4.97	5.57	0.00	10.24	0.01	0.00
2/17/22	6.63	3.10	8.13	11.23	0.00	20.13	0.01	0.00
2/18/22	11.88	1.21	2.98	4.19	0.00	5.59	0.00	0.00
2/19/22	6.55	1.00	6.79	7.79	0.07	17.09	1.03	0.47
2/20/22	8.54	0.22	1.54	1.76	0.04	5.98	0.90	0.30
2/21/22	5.76	1.08	5.54	6.62	0.00	18.18	0.02	0.01
2/22/22	6.21	2.26	8.22	10.48	0.00	25.78	0.00	0.00
2/23/22	9.75	1.31	4.74	6.05	0.00	11.64	0.01	0.01
2/24/22	10.20	1.54	3.89	5.43	0.01	11.33	0.21	0.08
2/25/22	10.40	0.96	3.55	4.52	0.00	6.91	0.01	0.01
2/26/22	13.07	0.41	3.33	3.74	0.00	8.39	0.04	0.02
2/27/22	9.96	0.21	2.08	2.29	0.00	9.95	0.00	0.00
2/28/22	6.59	0.28	3.03	3.31	0.02	10.59	0.18	0.11
3/1/22	9.85	1.02	6.33	7.34	0.02	22.07	0.31	0.17
3/2/22	11.67	2.77	10.49	13.26	0.02	29.18	0.54	0.18
3/3/22	17.68	0.70	6.68	7.39	0.01	18.35	0.12	0.05
3/4/22	17.72	0.26	3.49	3.76	0.00	18.05	0.00	0.00
3/5/22	13.05	0.82	5.63	6.45	0.00	14.82	0.00	0.00
3/6/22	9.15	0.37	3.50	3.87	0.00	11.56	0.00	0.00
3/7/22	2.50	1.01	2.53	3.53	0.00	9.89	0.00	0.00
3/8/22	16.94	1.24	5.26	6.49	0.00	9.91	0.01	0.01
3/9/22	12.40	1.05	3.66	4.70	0.00	12.09	0.00	0.00
3/10/22	12.52	0.24	2.47	2.70	0.00	6.40	0.00	0.00
3/11/22	8.85	0.44	2.63	3.07	0.00	3.96	0.00	0.00
3/12/22	8.20	0.15	1.92	2.06	0.11	8.11	1.24	0.86
3/13/22	5.12	0.47	3.75	4.22	0.64	8.77	4.08	1.28
3/14/22	10.05	3.25	10.35	13.59	0.06	28.89	0.99	0.36
3/15/22	3.88	0.99	4.99	5.98	0.01	15.53	0.27	0.09
3/16/22	6.10	0.41	3.78	4.17	0.00	12.61	0.00	0.00
3/17/22	11.93	1.12	0.81	1.32	0.00	6.41	0.00	0.00
3/18/22	10.88	1.64	1.35	2.31	0.15	25.42	0.40	0.34
3/19/22	6.80	0.31	0.01	0.04	0.11	0.24	0.24	0.23
3/20/22	9.30	0.17	0.08	0.08	0.11	1.82	0.27	0.16
3/21/22	8.32	0.31	0.21	0.27	0.17	3.96	0.45	0.30

		Daily 1-hr		Daily Max 3-hr Avg.				
Date	PM _{2.5} (μg/m³)	NO (ppb)	NO ₂ (ppb)	NO _X (ppb)	SO ₂ (ppb)	NO ₂ (ppb)	SO ₂ (ppb)	SO ₂ (ppb)
3/22/22	4.43	1.12	4.57	5.67	0.09	19.81	0.34	0.22
3/23/22	6.42	1.57	4.64	6.22	0.05	14.77	0.16	0.08
3/24/22	9.61	3.00	6.69	9.69	0.05	19.79	0.16	0.07
3/25/22	7.96	1.28	3.70	4.98	0.14	8.21	0.32	0.26
3/26/22	6.31	0.27	2.23	2.50	0.11	4.06	0.18	0.15
3/27/22	5.43	0.21	2.45	2.66	0.14	6.44	0.32	0.20
3/28/22	7.25	1.22	6.14	7.37	0.36	16.17	1.36	0.86
3/29/22	10.63	0.42	3.85	4.27	0.22	18.06	0.51	0.50
3/30/22	8.65	1.14	5.33	6.47	0.10	18.18	0.20	0.17
3/31/22	15.22	1.02	2.34	3.35	0.05	6.21	0.13	0.07

Table 2-2. Quarterly Statistics

	2	Daily I 1-hr A		Daily Max 3- hr Avg.				
Date	PM _{2.5} (μg/m³)	NO (ppb)	NO ₂ (ppb)	NO _X (ppb)	SO ₂ (ppb)	NO ₂ (ppb)	SO ₂ (ppb)	SO ₂ (ppb)
Average	9.02	1.57	5.30	6.84	0.17	14.69	1.04	0.56
Minimum	2.50	0.09	0.01	0.04	0.00	0.24	0.00	0.00
Maximum	19.28	16.00	15.37	30.98	1.52	38.31	8.13	5.97

Table 2-3. National Ambient Air Quality Standards

Pollutant	Primary/ Secondary	Averaging Time	Level	Form
	Primary	1-hour	100 ppb	98th Percentile, averaged over 3 years
NO ₂	Primary and Secondary	Annual	53 ppb ⁽¹⁾	Annual Mean
SO ₂	Primary	1-hour	75 ppb ⁽²⁾	99th Percentile of 1-hour daily maximum concentrations, averaged over 3 years
	Secondary	3-hour	0.5 ppm	Not to be exceeded more than once per year
	Primary	Annual	12 μg/m ³	Annual mean, averaged over 3 years
PM _{2.5}	Secondary	Annual	15 μg/m ³	Annual mean, averaged over 3 years
FIVI2.5	Primary and Secondary	24-hour	35 μg/m ³	98th Percentile, averaged over 3 years

- (1) The level of the annual NO₂ standard is 0.053 ppm. It is shown here in terms of ppb for the purposes of clearer comparison to the 1-hour standard level.
- (2) The previous SO2 standards (0.14 ppm 24-hour and 0.03 ppm annual) will additionally remain in effect in certain areas: (1) any area for which it is not yet 1 year since the effective date of designation under the current (2010) standards, and (2)any area for which an implementation plan providing for attainment of the current (2010) standard has not been submitted and approved and which is designated nonattainment under the previous SO2 standards or is not meeting the requirements of a SIP call under the previous SO2 standards (40 CFR 50.4(3)). A SIP call is an EPA action requiring a state to resubmit all or part of its State Implementation Plan to demonstrate attainment of the required NAAQS.




Figure 2-1. 24-hour Averages




Figure 2-2. Max 1-hour Averages

Table 2-4. Monthly Statistics for the First Monitoring Year

	M	Monthly D		Daily Max 3- hr Avg.				
Month	PM _{2.5} (μg/m³)	NO (ppb)	NO ₂ (ppb)	NO _X (ppb)	SO ₂ (ppb)	NO ₂ (ppb)	SO ₂ (ppb)	SO ₂ (ppb)
4/21	9.77	0.92	3.42	4.28	0.05	11.37	0.51	0.20
5/21	8.77	0.49	1.69	2.07	0.12	6.51	0.83	0.49
6/21	7.14	0.78	2.46	3.24	0.09	6.95	0.28	0.21
7/21	8.11	0.71	2.80	3.44	0.09	6.61	0.33	0.23
8/21	8.46	1.06	3.21	4.16	0.06	8.35	0.25	0.17
9/21	6.78	1.04	4.16	5.12	0.11	12.49	0.61	0.36
10/21	7.67	0.88	3.46	4.31	0.18	9.08	0.59	0.34
11/21	9.14	1.82	3.30	4.94	0.33	8.36	1.75	0.91
12/21	10.95	2.57	6.04	8.61	0.16	14.84	0.78	0.46
1/22	8.33	2.38	6.26	8.64	0.36	15.79	2.21	1.20
2/22	9.25	1.36	5.73	7.09	0.04	15.47	0.46	0.24
3/22	9.51	0.97	3.93	4.83	0.09	12.89	0.41	0.21




Figure 2-3. Monthly Averages



Figure 2-4. Monthly Max 1-hour Averages

3 COMPARISON TO NAAQS

Pollutant levels for all measured components at the HLT ambient air monitoring station are below the National Ambient Air Quality Standards (NAAQS). This report marks the end of the first year of monitoring station operation at HLT. Many of the NAAQS levels are based on three-year averages. The corresponding levels have been calculated from the available HLT data for comparison to the standard. As noted in Table 2.5, Table 2.6, and Table 2.7; concentrations at HLT have been calculated and included using data from the first year of monitoring for comparison against the published three-year NAAQS values.

3.1 NO₂

The primary standard for NO₂ is 53 ppb (annual arithmetic average) or 100 ppb (3-year average of the 98th percentile of the daily maximum 1-hour average must not exceed 100 ppb). Table 2-4 and Figures 2-3 and 2-4 show that the monthly averages and monthly daily maximum 1-hr averages were below 53 ppb for this first year of monitoring. Table 2-5 presents the NO₂ NAAQS calculations for each standard.

Table 2-5. NO₂ NAAQS Calculations for HLT

Pollutant	Primary/ Secondary	Averaging Time	Level	Form	HLT
NO ₂	Primary	1-hour	100 ppb	98th Percentile, averaged over 3 years	28.9 ppb*
NO ₂	Primary and Secondary	Annual	53 ppb	Annual Mean	Year 1: 3.9 ppb

^{*} Value calculated from one year of available data

3.2 SO₂

The primary standard for SO₂ is 75 ppb (3-year average of the 99th percentile of the daily maximum 1-hour average must not exceed 75 ppb). The secondary standard for SO₂ is 0.5 ppm (500 ppb; 3-hour average not to be exceeded more than once per year). Table 2-4 and Figures 2-3 and 2-4 show that the monthly averages and monthly daily maximum 1-hr averages were below 75 ppb for this first year of monitoring, and that the secondary standard was never exceeded. Table 2-6 presents the SO₂ NAAQS calculations for each standard.

Table 2-6. SO₂ NAAQS Calculations for HLT

Pollutant	Primary/ Secondary	Averaging Time	Level	Form	HLT
SO ₂	Primary	1-hour	75 ppb	99th Percentile of 1-hour daily maximum concentrations, averaged over 3 years	7.9 ppb*
SO ₂	Secondary	3-hour	0.5 ppm (500 ppb)	Not to be exceeded more than once per year	8.5 ppb**

^{*} Value calculated from one year of available data

3.3 PM_{2.5}

The primary standard for PM_{2.5} is 12.0 μ g/m³ (annual arithmetic average; 3-year average of the weighted annual mean PM_{2.5} concentration must not exceed 12.0 μ g/m³) or 35.0 μ g/m³ (24-hour average; 3-year average of the 98th percentile of the 24-hour concentrations must not exceed 35.0 μ g/m³). The secondary standard for PM_{2.5} is 15.0 μ g/m³ (annual arithmetic average; 3-year average of the weighted annual mean PM_{2.5} concentration must not exceed 15.0 μ g/m³). Table 2-7 presents the PM_{2.5} NAAQS calculations for each standard and shows that HLT had no exceedances.

Table 2-7. PM_{2.5} NAAQS Calculations for HLT

Pollutant	Primary/ Secondary	Averaging Time	Level	Form	HLT
PM _{2.5}	Primary	Annual	12 μg/m³	Annual mean, averaged over 3 years	8.7 µg/m³ *
PM _{2.5}	Secondary	Annual	15 μg/m³	Annual mean, averaged over 3 years	8.7 µg/m³ *
PM _{2.5}	Primary and Secondary	24-hour	35 μg/m³	98th Percentile, averaged over 3 years	18.2 μg/m³ *

^{*} Value calculated from one year of available data

^{**} Maximum from 4/1/2021 to 3/31/2022.

4 QUALITY ASSURANCE/QUALITY CONTROL

QA/QC procedures applied to this project are described in a QAPP titled South Carolina Ports Authority – Continuous Air Monitoring Station for the Hugh K. Leatherman Terminal (February 2021, Revision 0).

4.1 Daily and Quarterly QC/Validation

According to the QAP prepared for this work, results are reviewed for anomalies and validated daily. These validations are recorded on QA/QC Daily Comment Sheets. The occurrence and duration of normal calibration and maintenance activities are also recorded.

Daily QC checks were performed in accordance with section 5.1 of the QAPP. The PAC Display data logging software is remotely accessed from the ARCADIS office in Durham, NC where the instrumentation is monitored for alarms and the data trends are reviewed for irregularities. NO_x and SO₂ zero and calibration values displayed on the PAC Display screen from the previous calibration event are recorded in the QC Log Book. After checking the PAC Display system for any anomalies, the H05 raw data file from the previous day is downloaded to Arcadis' Durham, NC server. The data file is saved to the project folder on the server and then processed by a Microsoft Excel macro. The resulting Excel file provides values for daily averages and maxima as well as alarm and calibration information. This information is recorded on the daily QC log sheet. Comments and observations regarding data quality are noted on the QC log sheet and are also entered on the SCPA QA/QC Daily Comment Sheet. The Project Manager is notified of any issues immediately.

Percent completeness for Quarter 1 was calculated by dividing both the number of hours flagged by the macro as "Insufficient Data" as well as hours for which no data was obtained by the total number of hours in the quarter. Each of the three instruments (5014i, 42i, and 43i) typically produces 24 hours of data each day, for a total of 72 hours per day of recorded data. One daily Excel file per week was validated by verifying the formulas and inputs used in the Microsoft Excel macro calculations are correct. The ranges used to calculate the PM 2.5 24-hour average, NO2 Daily Max 1-hour average, SO2 Daily Max 1-hour average, and the 24-hour averages for PM, NO, NO2, NOx, and SO2 were checked during each validation. Four random hourly average ranges for PM, NO, NO2, NOx, and SO2 were also checked during each validation.

The quarterly data was assessed as follows:

- Percent completeness for Quarter 1 was 98.86%.
- 100% of the validated Quarter 1 data was flagged as "good"



Arcadis

7029 Albert Pick Road
Suite 101
Greensboro, North Carolina 27409
Tel 336 292 2271

www.arcadis.com