

SOUTH CAROLINA PORTS AUTHORITY



Continuous Air Monitoring Station for the
Union Pier Terminal

Q1 2016 Quarterly Report
and Annual Summary

April 2016

**SOUTH CAROLINA PORTS
AUTHORITY -
CONTINUOUS AIR
MONITORING STATION
FOR THE UNION PIER
TERMINAL**

**Q1 2016 Quarterly Report and Annual
Summary**

Prepared for:

South Carolina Ports Authority
176 Concord Street
Charleston
South Carolina 29401

Prepared by:

Arcadis U.S., Inc.
4915 Prospectus Drive
Suite F
Durham
North Carolina 27713
Tel 919 544 4535
Fax 919 544 5690

Our Ref.:
RN006310

Date:
April 2016

This document is intended only for the use of the individual or entity for which it was prepared and may contain information that is privileged, confidential and exempt from disclosure under applicable law. Any dissemination, distribution or copying of this document is strictly prohibited.

CONTENTS

1	Executive Summary	1
2	Project Description	1
2.1	Quarterly Results	1
2.2	Specific Data Notes	8
3	Quality Assurance/Quality Control	8
3.1	Daily and Quarterly QC/Validation	8
3.2	Quarterly Data Validation	9

TABLES

Table 2-1.	24-Hour Averages and NAAQS Daily Maximums.....	1
Table 2-2.	Quarterly Statistics	4
Table 2-3.	National Ambient Air Quality Standards	5
Table 2-4.	Monthly Statistics for All Four Quarters of the First Monitoring Year and First Quarter of Second Monitoring Year	6
Table 3.1	QA/QC Daily Comment Sheet	8

FIGURES

Figure 2-1.	24-hour Averages	5
Figure 2-2.	Max 1-hour Averages	6
Figure 2-3.	Monthly Averages	7
Figure 2-4.	Monthly Max 1-hour Averages	7

1 EXECUTIVE SUMMARY

Arcadis was contracted in late October 2014 to provide Continuous Air Monitoring Services to the South Carolina State Ports Authority (SCSPA) at the Union Pier Terminal in Charleston, SC. Arcadis has followed through on the planned schedule and activities since that award. The major accomplishments were to complete the Quality Assurance Project Plan (QAPP), purchase the instruments, complete the site setup, and then to begin acquiring data. Installation was completed in mid-February 2015 and data acquisition began on February 25. This report is the 5th quarterly data report (first quarterly report in year two of operations) and presents the data summaries requested by SCSPA and described in the work scope. This report encompasses a period corresponding to data taken during the period from January 1, 2016 through March 31, 2016.

2 PROJECT DESCRIPTION

SCSPA requested a system to provide ambient air quality data including particulate matter less than 2.5 microns (PM_{2.5}), SO₂, and NO₂ for a period of 5 years at the Union Pier Terminal of the port of Charleston. Arcadis will maintain the monitoring instruments, stock consumables such as filters and calibration gases, and order spare parts such that downtime will be minimized. Arcadis has established standard operating procedures to perform daily downloads and to provide Level 1 data validation for the resulting data. This monitoring project setup was relatively straightforward and has proven to be reliable and is generating valid high quality data suitable for use in dispersion modeling or other potential purposes.

The QAP is updated periodically to reflect improvements to the basic operating procedures or to document changes in the air quality standards. This QAP is written consistent with the current ambient air quality standards for PM, NO_x and SO₂ as defined by the U.S. Environmental Protection Agency.

2.1 Quarterly Results

The 24-hr daily averages for PM_{2.5}, NO, NO₂, NO_x, and SO₂ and the maximum daily values for NO₂ (1-hr average) and SO₂ (1-hr and 3-hr average) for this period are shown in Table 2-1. No exceedances were indicated this quarter. Quarterly statistics showing averages, minimums and maximums for all parameters are summarized in Table 2-2, with the corresponding NAAQS shown in Table 2-3. 24-hr averages for all constituents are also shown graphically in Figure 2-1. Maximum 1-hr averages for NO₂ and SO₂ are shown in Figure 2-2. Statistics are broken down by months and summarized in Table 2-4.

Statistics for the third monitoring year are broken down by months and summarized in Table 2-4. Annual summaries are provided in Figures 2-3 and 2-4 showing the monthly averages for all constituents and the daily maximum 1-hr averages for NO₂ and SO₂ averaged across the respective month.

Table 2-1. 24-Hour Averages and NAAQS Daily Maximums

Date	24-hour Averages					Daily Max 1-hr Avg.		Daily Max 3-hr Avg.
	PM _{2.5} (µg/m ³)	NO (ppb)	NO ₂ (ppb)	NO _x (ppb)	SO ₂ (ppb)	NO ₂ (ppb)	SO ₂ (ppb)	SO ₂ (ppb)
1/1/16	4.84	0.17	0.50	0.63	0.19	2.18	0.29	0.22
1/2/16	6.63	0.94	1.66	2.50	0.32	7.64	0.59	0.53
1/3/16	8.89	1.12	5.70	6.79	0.43	12.17	0.78	0.67
1/4/16	8.99	0.77	3.09	3.83	0.51	12.55	1.01	0.88
1/5/16	*	0.29	0.92	1.10	0.62	3.44	1.88	1.26
1/6/16	*	2.46	5.09	7.45	0.73	10.58	1.54	1.37
1/7/16	*	2.74	4.76	7.46	0.58	14.88	1.11	0.89
1/8/16	*	0.87	2.15	3.00	0.41	5.13	0.48	0.44

Date	24-hour Averages					Daily Max 1-hr Avg.		Daily Max 3-hr Avg.
	PM _{2.5} (µg/m ³)	NO (ppb)	NO ₂ (ppb)	NO _x (ppb)	SO ₂ (ppb)	NO ₂ (ppb)	SO ₂ (ppb)	SO ₂ (ppb)
1/9/16	*	1.14	3.25	4.32	0.39	10.32	0.49	0.43
1/10/16	*	0.55	1.24	1.73	0.38	5.84	0.56	0.44
1/11/16	*	2.63	6.63	9.19	1.03	22.34	3.03	2.52
1/12/16	*	5.12	8.98	13.79	0.61	21.49	0.78	0.74
1/13/16	*	4.97	11.51	16.38	1.09	36.08	2.56	1.67
1/14/16	*	2.46	10.59	13.02	0.74	26.15	1.11	1.06
1/15/16	*	1.26	4.28	5.46	0.47	13.51	0.54	0.52
1/16/16	*	0.98	2.62	3.58	0.43	13.50	0.55	0.53
1/17/16	*	2.26	6.63	8.81	0.51	21.26	1.10	0.91
1/18/16	*	1.11	2.34	3.40	0.35	5.93	0.49	0.47
1/19/16	*	2.21	5.72	7.77	1.32	23.37	5.19	3.47
1/20/16	*	3.19	5.74	8.67	0.64	20.16	1.62	1.15
1/21/16	*	1.91	6.36	8.25	0.64	27.38	1.86	1.35
1/22/16	*	1.58	4.44	6.00	0.30	10.64	0.43	0.42
1/23/16	*	0.94	2.74	3.67	0.29	4.96	0.47	0.35
1/24/16	*	2.57	8.49	11.03	0.73	26.26	3.07	1.97
1/25/16	*	16.23	13.08	29.28	1.02	27.04	4.15	3.17
1/26/16	*	4.76	21.57	26.35	0.35	21.57	0.35	0.35
1/27/16	*	7.95	9.34	17.17	0.48	19.82	1.23	0.98
1/28/16	*	2.48	4.91	7.34	0.47	10.86	1.15	0.93
1/29/16	*	2.47	6.45	8.65	0.46	17.95	0.85	0.75
1/30/16	*	0.67	6.08	6.72	0.42	17.28	0.88	0.64
1/31/16	*	1.71	7.17	8.85	0.45	14.35	2.35	1.40
2/1/16	*	6.04	7.11	12.67	1.08	20.02	1.80	1.58
2/2/16	*	1.88	3.69	5.46	0.79	16.93	1.86	1.43
2/3/16	*	0.72	0.30	0.74	0.53	1.24	0.59	0.59
2/4/16	*	1.29	4.72	5.96	0.48	14.15	0.55	0.52
2/5/16	1.05	2.14	3.01	5.02	0.71	11.27	1.08	0.95
2/6/16	3.94	2.52	3.09	5.53	0.68	18.39	0.87	0.81
2/7/16	6.56	0.81	4.34	5.13	0.14	9.68	0.61	0.22
2/8/16	9.71	2.43	4.90	7.14	0.12	9.65	0.43	0.37
2/9/16	6.46	2.05	2.95	4.65	0.03	5.46	0.05	0.05
2/10/16	6.88	2.21	3.87	5.72	0.06	10.43	0.12	0.10
2/11/16	11.24	1.61	5.39	6.86	0.10	20.15	0.22	0.17
2/12/16	12.73	2.00	6.05	7.95	0.05	18.14	0.08	0.06
2/13/16	14.24	2.82	5.55	8.28	0.44	20.11	1.44	0.92

24-hour Averages						Daily Max 1-hr Avg.		Daily Max 3-hr Avg.
Date	PM _{2.5} (µg/m ³)	NO (ppb)	NO ₂ (ppb)	NO _x (ppb)	SO ₂ (ppb)	NO ₂ (ppb)	SO ₂ (ppb)	SO ₂ (ppb)
2/14/16	7.58	0.55	1.21	1.71	0.05	5.39	0.26	0.10
2/15/16	8.43	1.93	4.10	6.00	0.02	11.62	0.04	0.03
2/16/16	4.47	1.41	3.05	4.25	0.01	12.19	0.02	0.01
2/17/16	7.57	1.97	4.87	6.49	0.08	12.39	0.19	0.16
2/18/16	9.77	8.65	4.59	13.05	0.13	27.59	0.58	0.40
2/19/16	8.59	0.94	2.38	3.25	0.08	12.37	0.17	0.15
2/20/16	11.93	1.14	6.53	7.65	0.10	19.92	0.21	0.15
2/21/16	10.90	0.28	0.83	1.07	0.10	3.97	0.31	0.25
2/22/16	12.91	2.11	4.00	5.76	0.06	20.28	0.18	0.16
2/23/16	8.30	6.06	4.87	10.82	0.02	22.27	0.20	0.07
2/24/16	10.56	0.67	0.28	0.62	0.01	1.01	0.01	0.01
2/25/16	3.90	0.02	0.20	0.18	0.01	0.83	0.01	0.01
2/26/16	9.21	1.97	5.52	7.26	0.02	25.62	0.05	0.03
2/27/16	10.49	1.69	4.58	6.20	0.03	14.76	0.09	0.07
2/28/16	15.46	3.59	4.65	7.99	0.06	12.81	0.20	0.12
2/29/16	14.12	1.39	1.55	2.70	0.06	4.27	0.11	0.10
3/1/16	18.01	1.35	2.15	3.27	0.06	10.48	0.17	0.14
3/2/16	7.16	1.33	2.82	3.92	0.02	9.31	0.03	0.03
3/3/16	7.23	0.81	1.31	2.07	0.02	7.27	0.06	0.04
3/4/16	10.68	1.86	6.95	8.74	0.10	26.11	0.44	0.35
3/5/16	11.04	1.30	5.38	6.66	0.03	18.12	0.09	0.06
3/6/16	13.69	0.82	5.52	6.31	0.03	18.71	0.11	0.07
3/7/16	11.54	1.81	5.41	7.18	0.13	20.74	0.26	0.23
3/8/16	8.02	6.13	6.35	12.43	0.04	18.35	0.11	0.07
3/9/16	8.09	11.10	8.33	19.23	0.10	26.10	1.76	0.63
3/10/16	7.19	1.34	1.89	3.06	0.21	7.25	0.29	0.27
3/11/16	6.75	1.43	1.65	2.78	0.23	5.65	0.35	0.35
3/12/16	6.87	1.33	5.16	6.46	0.21	12.50	0.37	0.26
3/13/16	8.75	0.43	1.86	2.23	0.23	4.96	0.44	0.38
3/14/16	9.45	4.22	3.47	6.88	0.29	13.83	0.59	0.53
3/15/16	14.45	1.11	4.06	5.04	0.27	9.92	0.43	0.32
3/16/16	23.09	1.56	4.23	5.63	0.33	7.41	0.47	0.45
3/17/16	33.19	2.60	9.46	11.95	0.43	21.11	0.88	0.72
3/18/16	17.18	2.94	5.63	8.47	0.30	24.77	0.73	0.57
3/19/16	10.84	1.46	5.31	6.69	0.24	14.52	0.34	0.32
3/20/16	9.42	0.42	2.74	3.13	0.20	5.45	0.31	0.27

24-hour Averages						Daily Max 1-hr Avg.		Daily Max 3-hr Avg.
Date	PM _{2.5} (µg/m ³)	NO (ppb)	NO ₂ (ppb)	NO _x (ppb)	SO ₂ (ppb)	NO ₂ (ppb)	SO ₂ (ppb)	SO ₂ (ppb)
3/21/16	9.31	3.24	6.85	9.67	0.88	14.34	1.33	1.22
3/22/16	16.87	2.66	7.64	10.19	1.04	19.87	1.98	1.66
3/23/16	12.37	2.06	4.90	6.77	0.91	12.66	1.30	1.09
3/24/16	7.34	2.61	5.46	8.02	0.79	23.76	1.08	0.96
3/25/16	7.34	0.94	2.76	3.63	0.79	5.96	0.98	0.93
3/26/16	6.68	7.34	7.23	14.47	0.71	18.58	0.90	0.77
3/27/16	4.38	0.91	3.04	3.94	0.63	7.68	0.71	0.68
3/28/16	8.24	1.75	3.79	5.29	0.67	7.79	0.75	0.72
3/29/16	12.90	3.73	7.17	10.86	0.23	22.89	0.69	0.29
3/30/16	9.59	6.61	10.75	17.26	0.21	31.62	0.47	0.33
3/31/16	8.37	28.00	8.31	35.60	0.17	32.10	0.95	0.61

* Instrument failure..

Table 2-2. Quarterly Statistics

24-hour Averages						Daily Max 1-hr Avg.		Daily Max 3-hr Avg.
Date	PM _{2.5} (µg/m ³)	NO (ppb)	NO ₂ (ppb)	NO _x (ppb)	SO ₂ (ppb)	NO ₂ (ppb)	SO ₂ (ppb)	SO ₂ (ppb)
Average	10.04	2.73	4.94	7.54	0.37	14.83	0.82	0.63
Minimum	1.05	0.02	0.20	0.18	0.01	0.83	0.01	0.01
Maximum	33.19	28.00	21.57	35.60	1.32	36.08	5.19	3.47

Table 2-3. National Ambient Air Quality Standards

Pollutant	Primary/Secondary	Averaging Time	Level	Form
NO ₂	Primary	1-hour	100 ppb	98th Percentile, averaged over 3 years
	Primary and Secondary	Annual	53 ppb ⁽¹⁾	Annual Mean
SO ₂	Primary	1-hour	75 ppb ⁽²⁾	99th Percentile of 1-hour daily maximum concentrations, averaged over 3 years
	Secondary	3-hour	0.5 ppm	Not to be exceeded more than once per year
PM _{2.5}	Primary	Annual	12 µg/m ³	Annual mean, averaged over 3 years
	Secondary	Annual	15 µg/m ³	Annual mean, averaged over 3 years
	Primary and Secondary	24-hour	35 µg/m ³	98th Percentile, averaged over 3 years

- (1) The official level of the annual NO₂ standard is 0.053 ppm, equal to 53 ppb, shown here for the purpose of clearer comparison to the 1-hour standard.
- (2) Final rule signed June 2, 2010. The 1971 annual and 24-hour SO₂ standards were revoked in that same rulemaking. However, these standards remain in effect until one year after an area is designated for the 2010 standard, except in areas designated nonattainment for the 1971 standards, where the 1971 standards remain in effect until implementation plans to attain or maintain the 2010 standard are approved.




Figure 2-1. 24-hour Averages




Figure 2-2. Max 1-hour Averages

Table 2-4. Monthly Statistics for All Four Quarters of the First Monitoring Year and First Quarter of Second Monitoring Year

Month	Monthly Averages					Monthly Daily Max 1-hr Avg.	Daily Max 3- hr Avg.	
	PM _{2.5} (µg/m ³)	NO (ppb)	NO ₂ (ppb)	NO _x (ppb)	SO ₂ (ppb)	NO ₂ (ppb)	SO ₂ (ppb)	SO ₂ (ppb)
2/15	9.67	1.51	5.55	6.97	0.28	11.18	1.57	0.71
3/15	8.24	1.99	5.24	7.13	0.27	14.29	1.14	0.72
4/15	7.46	1.67	4.25	5.81	0.24	11.04	0.68	0.43
5/15	9.25	1.74	3.65	5.28	0.61	10.42	2.30	1.45
6/15	12.00	1.74	2.59	4.06	0.22	7.47	0.58	0.42
7/15	11.69	2.18	4.20	6.20	0.20	10.16	0.77	0.49
8/15	8.38	1.19	2.64	3.60	0.04	8.30	0.16	0.10
9/15	6.95	1.69	4.04	5.61	0.21	11.92	0.53	0.32
10/15	8.28	1.92	3.45	5.27	0.17	10.62	0.67	0.36
11/15	7.61	3.54	5.24	8.69	0.36	13.88	0.71	0.50
12/15	8.38	2.30	4.83	7.01	0.28	12.11	0.59	0.46
1/16	7.34	2.60	5.94	8.46	0.56	15.70	1.37	1.05
2/16	9.08	2.17	3.73	5.73	0.21	13.20	0.43	0.33
3/16	11.16	3.39	5.08	8.32	0.34	15.48	0.62	0.49




Figure 2-3. Monthly Averages




Figure 2-4. Monthly Max 1-hour Averages

2.2 Specific Data Notes

Normal maintenance and instrument calibration procedures were performed several times this quarter. Additional notes can be found in the QA/QC Daily Comment Sheet summary shown in Table 3-1.

3 Quality Assurance/Quality Control

QA/QC procedures applied to this project are described in a QAPP titled *South Carolina State Ports Authority—Continuous Air Monitoring Station for the Union Pier Terminal* (February 2015, Revision 0).

3.1 Daily and Quarterly QC/Validation

According to the QAPP prepared for this work, results were reviewed for anomalies and validated on a daily basis and recorded on QA/QC Daily Comment Sheets for quarterly data review and assessments. The occurrence and duration of normal calibration and maintenance activities was also recorded.

Table 3.1 QA/QC Daily Comment Sheet

Date	Comments
1/5/2016	5014i technical issues - PM data manually removed from today until further update to log.
1/13/2016	No data obtained 12:00 - 13:00, system down.
1/14/2016	5014i taken offline for maintenance, log will be updated when back online.
1/18/2016	Insufficient data 2:00 - 4:00 due to SO2 calibration.
1/19/2016	Insufficient data 2:00 - 4:00 due to SO2 calibration.
1/25/2016	Insufficient data 4:00 - 6:00 due to NOx calibration.
1/26/2016	No data obtained after 0:43 - system down.
1/27/2016	Insufficient data 2:00 - 4:00 due to SO2 calibration.
1/31/2016	Insufficient data 2:00 - 4:00 and 8:00 - 9:00 due to SO2 calibrations.
2/1/2016	Insufficient data 2:00 - 4:00 due to SO2 calibration.
2/5/2016	5014i back online at 19:53.
2/7/2016	Insufficient data 2:00 - 4:00 due to SO2 calibration.
2/10/2016	Insufficient data 2:00 - 4:00 due to SO2 calibration.
2/13/2016	Insufficient data 2:00 - 4:00 due to SO2 calibration.
2/17/2016	Insufficient data 2:00 - 4:00 due to SO2 calibration. No data obtained after 21:35 - system down.
2/22/2016	Insufficient data 2:00 - 4:00 due to SO2 calibration.
2/25/2016	No data obtained after 6:18 - system down.
3/7/2016	Insufficient data 2:00 - 4:00 due to SO2 calibration and 4:00 - 6:00 due to NOx calibration.
3/8/2016	Insufficient data 2:00 - 4:00 due to SO2 calibration.
3/10/2016	Data manually removed 18:00 - 21:30 due to system maintenance. No data collected between 3:49 and 7:46 - system down.
3/11/2016	No data obtained after 9:46 - system down.
3/12/2016	Insufficient data 4:00 - 6:00 due to NOx calibration.
3/13/2016	Insufficient data 2:00 - 3:00 due to time change.
3/15/2016	Insufficient data 2:00 - 4:00 due to SO2 calibration.
3/21/2016	Insufficient data 2:00 - 4:00 due to SO2 calibration.
3/29/2016	Insufficient data 2:00 - 4:00 due to SO2 calibration.

3.2 Quarterly Data Validation

Daily QC checks were performed in accordance with section 5.1 of the QAPP. The data acquisition system (Opto 22's PAC Display) was remotely accessed from the ARCADIS office located in Durham, NC, where instrumentation and trends were monitored for alarms and other irregularities. NO_x and SO₂ zero and calibration values displayed by the system from the previous calibration event were recorded in the QC Log Book. After checking for irregularities, the data file from the previous day was sent via email to the Durham, NC office. The file was saved to a common folder on the Durham office's server and then post processed with a Microsoft Excel macro. The resulting Excel file provides values for daily averages and maxima, and also alarm and calibration information. This information was recorded on the daily QC log sheet. Comments and observations regarding data quality were noted on the QC log sheet, and were also entered into the SCSPA QA/QC Daily Comment Sheet. The Project Manager was notified of any issues immediately.

Percent completeness for Quarter 1 was calculated by dividing both the number of hours flagged by the macro as "Insufficient Data" as well as hours for which no data was obtained by the total number of hours in the quarter. Each of the three instruments (5014i, 42i, and 43i) recorded 24 hours of data during each day, for a total of 72 hours per day of recorded data.

The quarterly data were assessed as follows:

- 100% of the validated Quarter 1 data were flagged as "good".
- Percent completeness for Quarter 1 was 85.1%.

Arcadis U.S., Inc.

4915 Prospectus Drive

Suite F

Durham, North Carolina 27713

Tel 919 544 4535

Fax 919 544 5690

www.Arcadis.com